


# Air to Water Heat Pumps


## Air to Water Heat Pumps

2014-2015

## Draw Energy from the Environment

Heat pumps capture 3/4 of its energy from the environment, leaving only a small amount to be supplied by electricity. This is why the COP (coefficient of performance) rating is approximately 4. Heat pumps absorbs energy from the environment through heat exchangers, the compressor increases the refrigerant temperature, this expansion makes it extremely hot where it is then directed into your house for either heating or hot water.





#### 10 Reasons Why to Choose Heat Pumps


- 1. They offer ideal indoor conditions.
- 2. Connects to the existing hydraulic heating system (radiators) and they can easily and quickly replace the conventional boiler without any modifications to the residence's interior.
- 3. Has the lowest maintenance costs out of all the heating systems on the market.
- 4. Return on investment is seen immediately to the dramatic reduction in heating costs.
- 5. Operation costs are not prepaid like they are

- with conventional heating systems.
- 6. Operates at optimal performance, even during extreme weather conditions.
- 7. Provides hot water usage 365 days a year at a very low cost price.
- 8. Provides autonomy throughout your house.
- 9. Environmentally friendly and classified as renewable energy.
- 10. Offers the safest way of heating and doesn't require any specific safety measures.



## **Era Therm:** High Temperature Heat Pumps 65°C

- Heat Pumps provide hot water up to 65°C, Ideal for connecting to the existing radiators and replace the old boiler.
- The high water temperature makes it suitable for connecting to existing radiators without requiring any modifications inside the residence.
- Connects to the existing boiler for hot water, both residential or commercial properties.
- Ability to connect to a central control system.
- Fixed comfortable atmosphere inside even when the outside temperatures drop to -15°C
- Completely environmentally friendly refrigerant R407C



# Vario: Heat Pumps and **Domestic Hot Water Systems**

MODEL	DHW-CQ8.0Pd/Na-K	DHW-CQ10Pd/Na-K	DHW-CQ12Pd/Na-K	DHW-CQ12Pd/Na-M	DHW-CQ16Pd/Na-M
Heating Capacity floor heating (kW)	8.5	10.0	12.0	12.0	15.0
Cooling capacity floor heating (kW)	9.0	10.5	14.0	14.0	15.5
EER/COP (floor heating)	3.60/4.00	3.35/4.00	3.80/4.30	3.80/4.50	3.50/4.0
Cooling capacity fan coil or radiators (kW)	8.0	9.0	11.5	11.0	14.0
Cooling capacity FCU (kW)	6.5	8.0	10.0	10.0	11.0
EER/COP FCU or radiators	2.60/3.00	2.60/3.10	2.90/3.40	2.90/3.40	2.70/3.20
Voltage/Frequency/Phase (V/Hz/Ph)	230/50/1	230/50/1	230/50/1	380/50/3	380/50/3

\* Inventor hot water heat pumps can be attached to the existing water boiler as long as it is equipped with the proper heat pump connections.





















## Air to Water Heat Pumps



2014-2015

# Choose Economical Heating! Choose High Temperature Heat Pumps 65°C

#### **Era Therm**

- Replace your conventional boiler and save up to 60% on your yearly heating expenses.
- Hot water even in extreme outdoor conditions of -15°C
- Domestic hot water available all year round.
- Return on your investment in less than 3 years.



Attaches to existing radiators without making any modification to the home's interior



