



FREEZER

UPRIGHT FREEZER

- **PRODUCT FICHE MANUAL**
- **ΕΓΧΕΙΡΙΔΙΟ PRODUCT FICHE**
- **MANUAL PRODUCT FICHE**



MODEL:
KF2-860MS



Contents

English.....	4
Ελληνικά	5
Romanian	6

PRODUCT FICHE

NAME OR TRADEMARK: INVENTOR

UPRIGHT FREEZER

Model		KF2-860MS
Color		Silver
Climate Class		SN/N/ST
Energy Efficiency Class		E
Energy Consumption	[kWh/y]	164
Power Supply	V/Ph	220-240~/50
Protection Against Electric Shock		I
Insulation		Cyclopentane
Total Gross Volume	(L)	
Total Net Volume	(L)	88
Freezer Net Volume	(L)	88
Refrigerator Net Volume	(L)	-
Freezer Defrosting Type		Static
Refrigerator Defrosting Type		-
Control System		Mechanic
Refrigerant	Type/g	R600a,50
Cooling Capacity	kg/24h	4
Temperature Rise Time	h	15
Noise level	[dB(A)]	39
Refrigerator Lamp Rated Power	(W)	-
Freezer Lamp Rated Power	(W)	-
Reversible door		Yes
Product Dimensions (WxDxH)	mm	553x574x845
Packing Dimensions (WxDxH)	mm	574x595x875
Net Weight	kg	26.3
Gross weight	kg	28.8
Freezer		
Crisper		3
Shelves		-
Door Shelf Basket		-
Refrigerator		
Shelves		-
Crisper		-
Door Shelf Basket		-

PRODUCT FICHE

ΕΜΠΟΡΙΚΟ ΣΗΜΑ: INVENTOR

UPRIGHT FREEZER

Μοντέλο		KF2-860MS
Χρώμα		Ασημί
Κλιματική Κλάση		SN/N/ST
Ενεργειακή Κλάση		E
Κατανάλωση	[kWh/y]	164
Τροφοδοσία Ρεύματος	V/Ph	220-240~/50
Προστασία από Ηλεκτροπληξία		I
Μόνωση		Cyclopentane
Συνολική Μεικτή Χωρητικότητα	(L)	/
Συνολική Καθαρή Χωρητικότητα	(L)	88
Καθαρή Χωρητικότητα Κατάψυξης	(L)	88
Καθαρή Χωρητικότητα Συντήρησης	(L)	-
Τύπος Απόψυξης Κατάψυξης		Στατικός
Τύπος Απόψυξης Συντήρησης		-
Έλεγχος Θερμοκρασίας		Μηχανικός
Ψυκτικό Υγρό	Τύπος/g	R600a,50
Ψυκτική Απόδοση	kg/24h	4
Χρόνος Ανόδου Θερμοκρασίας	h	15
Στάθμη Θορύβου	[dB(A)]	39
Ισχύς Λυχνίας στη Συντήρηση	(W)	-
Ισχύς Λυχνίας στη Κατάψυξη	(W)	-
Αναστροφή Πόρτας		Ναι
Διαστάσεις Προϊόντος (ΜxΒxΥ)	mm	553x574x845
Διαστάσεις Συσκευασίας (ΜxΒxΥ)	mm	574x595x875
Καθαρό Βάρος	kg	26.3
Μεικτό Βάρος	kg	28.8
Τμήμα Κατάψυξης		
Συρτάρια		3
Ράφια		-
Θήκες Πόρτας		-
Τμήμα Συντήρησης		
Ράφια		-
Συρτάρια		-
Θήκες Πόρτας		-

PRODUCT FICHE

MARCA: INVENTOR

UPRIGHT FREEZER

Model		KF2-860MS
Culoare		Argintiu
Clasa Climaterica		SN/N/ST
Clasa Energetica		E
Consum	[kWh/y]	164
Tensiune de Alimentare	V/Ph	220-240~/50
Sistem de Protectie impotriva Socurilor Electrice		I
Izolatie		Cyclopentane
Volum Brut	(L)	/
Volum Net	(L)	88
Volum Net Congelator	(L)	88
Volum Net Frigider	(L)	-
Tip Decongelare Congelator		Static
Tip Decongelare Frigider		-
Sistem de Control		Mecanic
Agent Frigorific	Type/g	R600a,50
Capacitate Racire	kg/24h	4
Perioada de Crestere a Temperaturii	h	15
Nivel Zgomot	[dB(A)]	39
Putere bec Frigider	(W)	-
Putere bec Congelator	(W)	-
Usa Reversibila		Da
Dimensiuni (LxAxH)	mm	553x574x845
Dimensiunile Ambalajului (LxAxH)	mm	574x595x875
Greutate Neta	kg	26.3
Greutate Bruta	kg	28.8
Congelator		
Sertar		3
Rafturi		-
Rafturi pe Usi		-
Frigider		
Rafturi		-
Sertar		-
Rafturi pe usi		-

NOTES



FREEZER

UPRIGHT FREEZER



Scan here to download the latest version of this manual.
Σαρώστε εδώ για να κατεβάσετε την τελευταία έκδοση του εγχειριδίου.



Importer/Manufacturer: INVENTOR A.G. S.A.

24th km National Road Athens - Lamia & 2 Thoukididou Str., Ag. Stefanos, 145 65,
Tel.: +30 211 300 3300, Fax: +30 211 300 3333