




REFRIGERATOR

DOUBLE DOOR



- PRODUCT FICHE
- ΔΕΛΤΙΟ ΠΡΟΪΟΝΤΟΣ
- FISA PRODUSULUI

MODEL:
DP1590S



Contents

English.....	4
Ελληνικά	5
Romanian	6

PRODUCT FICHE

NAME OR TRADEMARK: INVENTOR

DOUBLE DOOR

Model		DP1590S
Color		Silver
Climate Class		ST/N
Energy Efficiency Class		F
Energy Consumption	[kwh/24h]/[KWh/a]	0.605/221
Power Supply	V/Ph	220-240~/50
Protection Against Electric Shock		I
Insulation		Cyclopentane
Total Gross Volume	(L)	-
Total Net Volume	(L)	235
Freezer Net Volume	(L)	41
Refrigerator Net Volume	(L)	194
Freezer Defrosting Type		Static
Refrigerator Defrosting Type		Static
Control System		Mechanic
Refrigerant	Type/g	R600a,45
Cooling Capacity	kg/24h	2
Temperature Rise Time	h	8
Noise level	[dB(A)]	40
Refrigerator Lamp Rated Power	(W)	2
Freezer Lamp Rated Power	(W)	-
Reversible door		Yes
Product Dimensions (WxDxH)	mm	550x550x1.590
Packing Dimensions (WxDxH)	mm	585x585x1.622
Net Weight	kg	39,3
Gross weight	kg	43,3
Freezer		
Crisper		-
Shelves		1
Door Shelf Basket		-
Refrigerator		
Shelves		4
Crisper		1
Door Shelf Basket		4

PRODUCT FICHE

ΕΜΠΟΡΙΚΟ ΣΗΜΑ: INVENTOR

DOUBLE DOOR

Μοντέλο		DP1590S
Χρώμα		Silver
Κλιματική Κλάση		ST/N
Ενεργειακή Κλάση		F
Κατανάλωση	[kwh/ 24h]/[KWh/a]	0.605/221
Τροφοδοσία Ρεύματος	V/Ph	220-240~/50
Προστασία από Ηλεκτροπληξία		I
Μόνωση		Cyclopentane
Συνολική Μεικτή Χωρητικότητα	(L)	-
Συνολική Καθαρή Χωρητικότητα	(L)	235
Καθαρή Χωρητικότητα Κατάψυξης	(L)	41
Καθαρή Χωρητικότητα Συντήρησης	(L)	194
Τύπος Απόψυξης Κατάψυξης		Στατικός
Τύπος Απόψυξης Συντήρησης		Στατικός
Έλεγχος Θερμοκρασίας		Μηχανικός
Ψυκτικό Υγρό	Τύπος/g	R600a,45
Ψυκτική Απόδοση	kg/24h	2
Χρόνος Ανόδου Θερμοκρασίας	h	8
Στάθμη Θορύβου	[dB(A)]	40
Ισχύς Λυχνίας στη Συντήρηση	(W)	2
Ισχύς Λυχνίας στη Κατάψυξη	(W)	-
Αναστροφή Πόρτας		Ναι
Διαστάσεις Προϊόντος (ΜxΒxΥ)	mm	550x550x1.590
Διαστάσεις Συσκευασίας (ΜxΒxΥ)	mm	585x585x1.622
Καθαρό Βάρος	kg	39,3
Μεικτό Βάρος	kg	43,3
Τμήμα Κατάψυξης		
Συρτάρια		-
Ράφια		1
Θήκες Πόρτας		-
Τμήμα Συντήρησης		
Ράφια		4
Συρτάρια		1
Θήκες Πόρτας		4

PRODUCT FICHE

MARCA: INVENTOR

DOUBLE DOOR

Model		DP1590S
Culoare		Argintiu
Clasa Climaterica		ST/N
Clasa Energetica		F
Consum	[kwh/ 24h]/[KWh/a]	0.605/221
Tensiune de Alimentare	V/Ph	220-240~/50
Sistem de Protectie impotriva Socurilor Electrice		I
Izolatie		Cyclopentane
Volum Brut	(L)	-
Volum Net	(L)	235
Volum Net Congelator	(L)	41
Volum Net Frigider	(L)	194
Tip Decongelare Congelator		Static
Tip Decongelare Frigider		Static
Sistem de Control		Mecanic
Agent Frigorific	Type/g	R600a,45
Capacitate Racire	kg/24h	2
Perioada de Crestere a Temperaturii	h	8
Nivel Zgomot	[dB(A)]	40
Putere bec Frigider	(W)	2
Putere bec Congelator	(W)	-
Usa Reversibila		Da
Dimensiuni (LxAxH)	mm	550x550x1.590
Dimensiunile Ambalajului (LxAxH)	mm	585x585x1.622
Greutate Neta	kg	39,3
Greutate Bruta	kg	43,3
Congelator		
Sertar		-
Rafturi		1
Rafturi pe Usi		-
Frigider		
Rafturi		4
Sertar		1
Rafturi pe usi		4